## IN THE CLAIMS:

1-5. (Cancelled)



6. (Previously Amended) A method of dynamically translating an application program into a markup language file, the method comprising the computer-implemented steps of:

executing said application program;

parsing a document type definition file for a markup language;

during execution of said application program, selecting an element defined in the document type definition file based on a routine called by said application program; and writing the selected element to a markup language file to form a translation.

- 7. (Original) The method of claim 6 wherein the element comprises an attribute list corresponding to parameters for the routine.
- 8. (Original) The method of claim 6 wherein the selected element written to the markup language file comprises an attribute list corresponding to values for the parameters passed to the routine.
- 9. (Original) The method of claim 6 wherein the application program is written in Java programming language.
- 10. (Original) The method of claim 9 wherein the routine is an extended class method.
- 11. (Original) The method of claim 9 wherein the routine is a Graphics class method.
- 12-16. (Cancelled)

Page 2 of 8 Cooper et al. - 09/306,189 17. (Previously Amended) A data processing system for dynamically translating an application program into a markup language file, the data processing system comprising: executing means for executing an application program; parsing means for parsing a document type definition file for a markup language; selecting means for selecting an element defined in the document type definition

file based on a routine called by the application program; and

writing means for writing the selected element to a markup language file to form a translation.

- 18. (Original) The data processing system of claim 17 wherein the element comprises an attribute list of parameters for the routine.
- 19. (Original) The data processing system of claim 17 wherein the selected element written to the markup language file comprises an attribute list of values for the parameters passed to the routine.
- 20. (Original) The data processing system of claim 17 wherein the application program is written in Java programming language.
- 21. (Original) The data processing system of claim 20 wherein the routine is an extended class method.
- 22. (Original) The data processing system of claim 20 wherein the routine is a Graphics class method.
- 23-24. (Cancelled)



25. (Previously Amended) A computer program product on a computer readable medium for use in a data processing system for dynamically translating an application program into a markup language file, the computer program product comprising:

first instructions for executing an application program;

second instructions for parsing a document type definition file for a markup language;

third instructions for selecting an element defined in the document type definition file based on a routine called by the application program; and fourth instructions for writing the selected element to a markup language file to form a translation.

26. (Cancelled)